

CTR LIQUATEC

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CTR LIQUATEC

Other means of identification : Not applicable.

Recommended use : Machine Warewashing Detergent

Product dilution information : 0.3 % - 6.0 %

Company : ECOLAB PTY LTD

2 Drake Avenue

Macquarie Park, NSW Australia 2113

1 800 022 002

Emergency telephone

number

: 1800 205 506, +64 7 958 2372

Issuing date : 03.11.2020

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Corrosive to metals : Category 1
Skin corrosion/irritation : Category 1A
Serious eye damage/eye : Category 1

irritation

Product AT USE DILUTION

Skin corrosion/irritation Serious eye damage/eye

irritation

: Category 2: Category 2A

GHS Label element

Product AS SOLD

Hazard pictograms



Signal Word : Danger

Hazard Statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Keep only in original container. Wash skin thoroughly after handling. Do not breathe dusts or mists. Wear protective gloves/ protective

clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh

air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN

914646-02 1 / 10

CTR LIQUATEC

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Absorb spillage to prevent material damage. Wash contaminated clothing before reuse.

Storage:

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms



Signal Word : Warning

Hazard Statements : Causes skin irritation.

Causes serious eye irritation.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/ eye

protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Product AS SOLD

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration: (%)

potassium hydroxide 1310-58-3 10 - 30

Product AT USE DILUTION

Chemical Name CAS-No. Concentration: (%)

potassium hydroxide 1310-58-3 0.1 - 1

Section: 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

914646-02 2 / 10

CTR LIQUATEC

If swallowed Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Allow no further exposure to any cholinesterase inhibitor until full

> recovery is assured. Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

: Rinse immediately with plenty of water, also under the eyelids, for at In case of eye contact

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention.

: Wash off immediately with plenty of water for at least 15 minutes. Use In case of skin contact

a mild soap if available. Get medical attention if irritation develops and

persists.

If swallowed : Contact the Poison's Information Centre (eg Australia 13 1126; New

Zealand 0800 764 766).

Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during

firefighting

: Exposure to decomposition products may be a hazard to health.

Hazardous combustion

products

: Decomposition products may include the following materials:

Halogenated compounds

metal oxides

Oxides of phosphorus

for firefighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing : Fire residues and contaminated fire extinguishing water must be

914646-02 3/10

CTR LIQUATEC

methods disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Hazchem Code : 2R

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling

: Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Do not store near acids. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Product AT USE DILUTION

Advice on safe handling

: Avoid contact with skin and eyes. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

: Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

914646-02 4 / 10

CTR LIQUATEC

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
potassium hydroxide	1310-58-3	Peak limit	2 mg/m3	AU OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear the following personal protective equipment:

Standard glove type. Natural rubber Neoprene gloves

Neoprene/natural rubber blend

Nitrile PVC

Unsupported neoprene

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and

maintenance of respiratory protective equipment as applicable.

When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : Wear the following personal protective equipment:

Standard glove type. Natural rubber Neoprene gloves

PVC

Unsupported neoprene

Neoprene/natural rubber blend

914646-02 5 / 10

CTR LIQUATEC

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

: Refer to AS/NZS 1715 and AS/NZS 1716 for selection, use and Respiratory protection

maintenance of respiratory protective equipment as applicable. No personal respiratory protective equipment normally required.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AT USE DILUTION Product AS SOLD

Appearance : liquid liquid

Colour : clear, light yellow light yellow Odour : Chlorine Chlorine 11.5 - 12.5 рΗ : 13.0 - 14.0, (100 %)

Flash point : Not applicable., Does not sustain combustion.

Odour Threshold : no data available Melting point/freezing point : no data available Initial boiling point and : no data available

boiling range

Evaporation rate : no data available

Flammability (solid, gas) : Not applicable. Upper explosion limit : no data available no data available Lower explosion limit Vapour pressure : no data available Relative vapour density : no data available

: 1.22 - 1.25 Relative density

Water solubility : soluble

Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition : no data available : no data available Viscosity, kinematic Explosive properties : no data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : no data available VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

914646-02 6/10

CTR LIQUATEC

Possibility of hazardous

reactions

: Mixing this product with acid or ammonia releases chlorine gas.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Halogenated compounds

metal oxides

Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Causes serious eye irritation.

Skin : Causes skin irritation.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

: Redness, Pain, Corrosion Skin contact

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : Redness, Pain, Irritation

Skin contact : Redness, Pain, Irritation

914646-02 7/10

CTR LIQUATEC

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD Product

: Acute toxicity estimate : > 2,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : no data available Acute dermal toxicity : no data available Skin corrosion/irritation : no data available : no data available

Serious eye damage/eye

irritation

Respiratory or skin

sensitization

: no data available

Carcinogenicity : no data available Reproductive effects : no data available Germ cell mutagenicity : no data available Teratogenicity : no data available : no data available STOT - single exposure STOT - repeated exposure : no data available : no data available Aspiration toxicity

Section: 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects : Toxic to aquatic life.

Product

Toxicity to fish : no data available Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Persistence and degradability

Product AS SOLD

Not applicable - inorganic

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

914646-02 8/10

CTR LIQUATEC

Section: 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

Product AT USE DILUTION

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADG)

UN number : 1814

Description of the goods : POTASSIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Hazchem Code : 2R

Sea transport (IMDG/IMO)

UN number : 1814

Description of the goods : POTASSIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

National regulatory information

Standard for the Uniform : Schedule 6

Scheduling of Medicines and

Poisons

The components of this product are reported in the following inventories:

United States TSCA Inventory:

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL):

914646-02 9 / 10

CTR LIQUATEC

All components of this product are on the Canadian DSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances:

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

IARC: (International Agency for Research on Cancer)

US. National Toxicology Program (NTP) Report on Carcinogens

ECHA List of Publishable Substances Registered EU HPVCs (High Production Volume Chemicals)

Issuing date : 03.11.2020

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

914646-02 10 / 10