

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations

Issue date: 07/02/2024 Revision date: 07/02/2024 Version: 1.0

SDS No: 00625-0088



### SECTION 1: Product identifier

#### 1.1. GHS Product identifier

Product form : Mixture  
Product name : Cleaner Tab Active Green

#### 1.2. Other means of identification

Further information : Artikelnummer: 56.01.535; 56.01.628; 56.01.535C; 56.01.628C; 56.01.527; 56.01.904

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent  
For professional users only

#### 1.4. Details of manufacturer or importer

##### Supplier

RATIONAL AG  
Siegfried-Meister-Straße 1  
86899 Landsberg am Lech  
Germany  
T +49 8191 327 387 - F +49 8191 327 231  
[reinigung@rational-online.com](mailto:reinigung@rational-online.com) - [www.rational-online.com](http://www.rational-online.com)  
E-mail address of competent person responsible for the SDS: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

##### Importer

COMCATER Pty. Ltd.  
191 Salmon Street, Port Melbourne  
Victoria 3207  
Australia  
T +61 (0) 3 8369 4600 - F +61 (0) 3 8369 4666  
[www.comcater.com.au](http://www.comcater.com.au)

#### 1.5. Emergency phone number

Emergency number : Emergency CONTACT (24-Hour-Number): GBK GmbH +49 (0)6132-84463

Country/Area	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	

### SECTION 2: Hazard identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Corrosive to metals, Category 1 H290  
Skin corrosion/irritation, Category 1A H314  
Serious eye damage/eye irritation, Category 1 H318

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Corrosion

Signal word (GHS AU) :

Danger

Contains

: disodium metasilicate (1 - 5 %); Sodium hydroxide (50 - < 65 %); Other substances (not contributing to the classification of this product) (30 - 45 %)

Hazard statements (GHS AU) :

: H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

Precautionary statements (GHS AU)	: P101 - If medical advice is needed, have product container or label at hand. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER, a doctor. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
-----------------------------------	--

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition and information on ingredients

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Sodium hydroxide	1310-73-2	50 - < 65	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318
Other substances (not contributing to the classification of this product)	-	30 - 45	Not classified
Sodium carbonate	497-19-8	5 - 10	Eye Irrit. 2A, H319
disodium metasilicate	6834-92-0	1 - 5	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Sodium hydroxide	CAS-No.: 1310-73-2	(0.5 ≤ C < 2) Eye Irrit. 2, H319 (0.5 ≤ C < 2) Skin Irrit. 2, H315 (2 ≤ C < 5) Skin Corr. 1B, H314 (5 ≤ C < 100) Skin Corr. 1A, H314

## SECTION 4: First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	: Adhere to personal protective measures when giving first aid.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Call a physician immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do not induce vomiting. Call a physician immediately.

### 4.2. Symptoms caused by exposure

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: May perforate the oesophagus or the digestive tract. Burns.

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

### 4.3. Medical attention and special treatment

Treatment : If possible, show the doctor this safety data sheet. Failing this, show the doctor the packaging or label.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.  
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Contain the extinguishing fluids by bunding. Do not allow run-off from fire fighting to enter drains or water courses.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.  
Hazchem Code : 2W

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.  
Storage temperature : 10 – 40 °C  
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.  
Packaging materials : Product must only be kept in the original packaging.

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters - exposure standards

Sodium hydroxide (1310-73-2)	
Australia - Occupational Exposure Limits	
Local name	Sodium hydroxide
OES C	2 mg/m <sup>3</sup>
Regulatory reference	Workplace exposure standards for airborne contaminants (2022)

#### 8.2. Biological Monitoring

No additional information available

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Butyl rubber, Nitrile rubber (NBR)	3 (> 60 minutes)			EN ISO 374

Eye protection : tightly fitting safety goggles

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Not required for normal conditions of use

Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

Physical state	: Solid
Appearance	: tablet.
Colour	: White
Odour	: characteristic
Odour threshold	: No data available
pH	: 12.5
pH solution concentration	: 1 %
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Freezing point: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: Density: 1050 kg/m <sup>3</sup>
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Explosive properties	: No data available
Explosive limits	: Not applicable
Minimum ignition energy	: No data available
VOC content	: < 3 %
Fat solubility	: No data available

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

### SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Exothermic reaction on contact with: Acids.
Conditions to avoid	: Keep out of frost. Keep away from heat and direct sunlight. Protect from atmospheric moisture and water.
Incompatible materials	: Oxidizing agent. Light metals. Strong acids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### disodium metasilicate (6834-92-0)

LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)

#### Sodium carbonate (497-19-8)

LD50 oral rat	2800 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:

Skin corrosion/irritation	: Causes severe skin burns. pH: 12.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.5
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

#### disodium metasilicate (6834-92-0)

NOAEL (oral, rat, 90 days)	227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
----------------------------	---

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
-------------------	---

### SECTION 12: Ecological information

#### 12.1. Ecotoxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

#### disodium metasilicate (6834-92-0)

LC50 fish 1	210 mg/l (96 h, Brachydanio rerio (zebra-fish))
EC50 Daphnia 1	1700 mg/l Test organisms (species): Daphnia magna

#### Sodium carbonate (497-19-8)

LC50 fish 1	300 mg/l Test organisms (species): Lepomis macrochirus
-------------	--

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

### Sodium carbonate (497-19-8)

EC50 Daphnia 1	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.

### Sodium hydroxide (1310-73-2)

EC50 Daphnia 1	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
----------------	--

## 12.2. Persistence and degradability

### Cleaner Tab Active Green

Persistence and degradability	Readily biodegradable,(OECD 301B method)
-------------------------------	--

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects




Ozone	: Not classified (Based on available data, the classification criteria are not met)
Other adverse effects	: Before neutralisation, the product may represent a danger to aquatic organisms.

## SECTION 13: Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

## SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
<b>14.1. UN number</b>		
1823	1823	1823
<b>14.2. UN Proper Shipping Name</b>		
SODIUM HYDROXIDE, SOLID	SODIUM HYDROXIDE, SOLID	Sodium hydroxide, solid
<b>14.3. Transport hazard class(es)</b>		
8	8	8
		
<b>14.4. Packing group</b>		
II - Substances presenting medium danger	II	II
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

### 14.6. Special precautions for user

Specific storage requirement : No data available  
Shock sensitivity : No data available

### 14.7. Additional information

Other information : No supplementary information available

#### Transport by road and rail

UN-No. (ADG) : 1823  
Limited quantities (ADG) : 1kg  
Excepted quantities (ADG) : E2  
Packing instructions (ADG) : P002, IBC08  
Special packing provisions (ADG) : B2, B4  
Portable tank and bulk container instructions (ADG) : T3  
Portable tank and bulk container special provisions (ADG) : TP33

#### Transport by sea

UN-No. (IMDG) : 1823  
Limited quantities (IMDG) : 1 kg  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P002  
IBC packing instructions (IMDG) : IBC08  
IBC special provisions (IMDG) : B21, B4  
Tank instructions (IMDG) : T3  
Tank special provisions (IMDG) : TP33  
EmS-No. (Fire) : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE  
EmS-No. (Spillage) : S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES  
Stowage category (IMDG) : A  
Segregation (IMDG) : SGG18, SG35  
MFAG-No : 154

#### Air transport

UN-No. (IATA) : 1823  
PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y844  
PCA limited quantity max net quantity (IATA) : 5kg  
PCA packing instructions (IATA) : 859  
PCA max net quantity (IATA) : 15kg  
CAO packing instructions (IATA) : 863  
CAO max net quantity (IATA) : 50kg  
ERG code (IATA) : 8L

### 14.8. Hazchem or Emergency Action Code

Hazchem Code : 2W

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

### 15.2. International agreements

No additional information available

## SECTION 16: Other information

Revision date : 7/02/2024

# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified



# Cleaner Tab Active Green

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00625-0088

Abbreviations and acronyms:	
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods

Classification	
Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318

Full text of H-statements	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.