



## C Series Modular Dice Ice Machines — up to 636kg **C 1448 MA** Dice cube 10g, 22mm x 22mm x 22mm



Dice cube 10 g W 22 x D 22 x H 22 mm



Note: Ice production rate is measured with the water temperature at 10°C and an ambient temperature of 21°C.

- Up to 636kg daily production rate
- Head only ice maker requires a separate storage bin to store the ice produced
- Air cooled version
- Vertical evaporator spray-system technology
- Agion Technology resists the growth of microbes and the development of unpleasant odours
- One-touch cleaning system
- Electronic control
- Water sense adaptive purge control: saves water by adjusting water usage when is needed
- Simple, reliable electromechanic controls
- Resistant stainless steel exterior
- Easy access front condenser air filter
- External indicator lights to show operation status and maintenance alert
- Includes removable air filter, water and drain hose

#### Recommended storage bins

- NB 948 406kg storage capacity
- UBH 1100 Upright storage bin with 553kg storage capacity













# C Series Modular Dice Ice Machines — up to 636kg

### C 1448 MA





UNIT OF MEASUREMENT: **mm** 

#### Ice production per 24 hours

Ambient temperature / Water temperature

| 10°C / 10°C | 21°C / 10°C | 32°C / 21°C |
|-------------|-------------|-------------|
| 732         | 636         | 480         |

#### Dimensions

Width: 1219mm
Depth: 610mm
Height: 737mm
Nett weight: 150kg
Packed weight: 157kg

#### Water consumption

Air cooled version: 26 litres per hour

#### Electrical rating

Air cooled version: 230-240V, 1P+N+E, 50Hz, 2430W,

20A cordset supplied

No. Circuit wire: 3 Compressor: 2280W Energy consumption: 7.5kW/24hr

#### Refrigerant type

R404A

#### Installation distance from wall Rear 100mm Left side 150mm

Operating requirement air temperature 10-43°C

#### Water connection requirements

